Material Safety Data Sheet



Cobalt Sulphate

Product and company identification

Common name : Cobalt Sulphate

Material uses : Included in animal feeds.

Supplier/Manufacturer : Pestell Minerals & Ingredients

141 Hamilton Road New Hamburg, Ontario Canada, N3A 2H1 Tel: (519) 662-2877 Fax: (519) 662-6242

E-mail: pestellgroup@pestell.com

In case of emergency : CANUTEC (613) 996-6666

MSDS authored by: : Kemika XXI Inc. + 1-450-435-74 Rev. Date 10/15/2009

2. Hazards identification

Physical state : Solid. (Crystals.)

Odor : Odorless.

Hazard status : This material is classified hazardous under OSHA regulations in the United States and the

WHMIS Controlled Product Regulation in Canada.

Emergency overview : WARNING!

CANCER HAZARD.

CONTAINS MATERIAL WHICH CAN CAUSE CANCER.

HARMFUL IF INHALED.

CAUSES RESPIRATORY TRACT, EYE AND SKIN IRRITATION. MAY CAUSE ALLERGIC RESPIRATORY AND SKIN REACTION.

MAY BE HARMFUL IF SWALLOWED.

Do not ingest. Avoid contact with skin and clothing. Do not breathe dust. Keep container closed. Use only with adequate ventilation. Wash thoroughly after handling. Risk of

cancer depends on duration and level of exposure.

Routes of entry : Dermal contact. Eye contact. Inhalation. Ingestion.

Potential acute health effects

Eyes : Irritating to eyes.

Skin : Irritating to skin. May cause sensitization by skin contact.

Inhalation : Harmful by inhalation. Irritating to respiratory system. May cause sensitization by

inhalation.

Ingestion : May be harmful if swallowed.

Potential chronic health

effects

: Carcinogenic effects Classified A3 (Proven for animals.) by ACGIH, 2B (Possible for humans.) by IARC [Cobalt sulphate]. Classified 2 (Reasonably anticipated to be human

carcinogens.) by NTP [Cobalt sulphate].

Mutagenic effects Not available. Teratogenic effects Not available.

Medical conditions aggravated by over-

exposure

Date of issue

: Repeated skin exposure can produce local skin destruction or dermatitis. Repeated or prolonged exposure to the substance can produce lung damage. Repeated exposure of

the eyes to a low level of dust can produce eye irritation.

See toxicological information (section 11)

: 10/15/2006
Authored by KEMIKA
Powered by



Composition/information on ingredients

United States

Name CAS number %

10124-43-3 60 - 100 Cobalt sulphate

Canada

% **Name CAS** number

Cobalt sulphate 10124-43-3 60 - 100

First aid measures

Eye contact : Check for and remove any contact lenses. In case of contact with eyes, rinse

immediately with plenty of water. Get medical attention.

Skin contact In case of contact, immediately flush skin with plenty of water for at least 20 minutes. Get medical attention.

: If inhaled, remove to fresh air. If not breathing, give artificial respiration. Get medical attention.

Ingestion : Do not induce vomiting. Never give anything by mouth to an unconscious person. Get

medical attention.

Notes to physician : No specific antidote. Medical staff must contact Poison Control Center.

Fire-fighting measures

Flammability of the product : Non-flammable.

Extinguishing media

Inhalation

Suitable

: Use an extinguishing agent suitable for the surrounding fire.

Not suitable : None known.

Special exposure hazards : No specific hazard.

Special protective

: Fire-fighters should wear appropriate protective equipment and self-contained breathing

apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Accidental release measures

Personal precautions

equipment for fire-fighters

: Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment.

Environmental precautions

: Avoid dispersal of spilled material, runoff and contact with soil, waterways, drains and sewers.

Methods for cleaning up

If emergency personnel are unavailable, vacuum or carefully scoop up spilled material and place in an appropriate container for disposal by incineration. Avoid creating dusty conditions and prevent wind dispersal.

Handling and storage

Handling

: Do not ingest. Avoid contact with eyes, skin and clothing. Keep container closed. Use only with adequate ventilation. Do not breathe dust. Wash thoroughly after handling.

Storage

: Keep container tightly closed. Keep container in a cool, well-ventilated area.

Page: 2/6 Powered by ATRIOD



Exposure controls/personal protection

United States

Product name

Exposure limits

Cobalt sulphate

Cobalt sulphate

ACGIH TLV (United States, 1/2005).

TWA: 0.02 mg/m³ 8 hour(s). Form: Inorganic

Canada

Product name Exposure limits

ACGIH TLV (United States, 1/2005).

TWA: 0.02 mg/m³ 8 hour(s). Form: Inorganic

Engineering measures

: Use only with adequate ventilation. If user operations generate dust, fumes, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Personal protection

: Safety glasses. **Eyes** Skin : Synthetic apron. Respiratory : Vapor respirator. **Hands**







HMIS Code/Personal protective equipment

of a large spill **Hygiene measures**

Personal protection in case: Safety glasses, goggles or face shield. Impervious gloves. Full suit. Boots. Wear NIOSHapproved self-contained breathing apparatus or equivalent and full protective gear.

> : Wash hands, forearms and face thoroughly after handling compounds and before eating, smoking and using the lavatory and at the end of the day. Follow good industrial hygiene practice.

Physical and chemical properties

Physical state : Solid. (Crystals.)

Odor Odorless.

Relative density The only known value is 1.95 (Water = 1) (Cobalt sulphate).

Solubility : Insoluble in cold water, hot water.

10. Stability and reactivity

Stability and reactivity

: The product is stable.

Incompatibility with various substances

: Reactive with oxidizing materials.

Hazardous polymerization

: Will not occur.

Conditions of reactivity

: Not available.

: 10/15/2006 Authored by **KEMIKA** Page: 3/6 Powered by ATRION



11. Toxicological information

Toxicity data						
Product/ingredient name	Test	Result	Route	Species		
Cobalt sulphate	LD50 LD50	424 mg/kg 584 mg/kg	Oral Oral	Rat Mouse		

Acute Effects

Eyes : Irritating to eyes.

Skin : Irritating to skin. May cause sensitization by skin contact.

Inhalation : Harmful by inhalation. Irritating to respiratory system. May cause sensitization by

inhalation.

Ingestion

Potential chronic health

effects

May be harmful if swallowed.Carcinogenic effects Classified A3 (Proven for animals.) by ACGIH, 2B (Possible for

humans.) by IARC [Cobalt sulphate]. Classified 2 (Reasonably anticipated to be human

carcinogens.) by NTP [Cobalt sulphate].

Mutagenic effects Not available. Teratogenic effects Not available.

12. Ecological information

Ecotoxicity data							
Product/ingredient name	Species	Period	Result				
Cobalt sulphate	Daphnia magna (LC50)	96 hour(s)	1.86 mg/l				
	Pimephales promelas (LC50)	96 hour(s)	3.46 mg/l				
	Pimephales promelas (LC50)	96 hour(s)	3.75 mg/l				

Environmental precautions: Harmful to aquatic organisms. May cause long-term adverse effects in the aquatic

environment.

Products of degradation: These products are sulfur oxides. Some metallic oxides.

13. Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material, runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional and local authority requirements.

14. Transport information

Regulatory information

UN/ IMDG/IATA DOT/TDG: Not regulated.

15 . Regulatory information

United States

Date of issue

HCS Classification: Toxic material

Irritating material Sensitizing material

Carcinogen

U.S. Federal regulations : TSCA 6 proposed risk management: Lead

TSCA 8(b) inventory: All components listed.

TSCA 12(b) annual export notification: Lead

: 10/15/2006 Authored by **KEMIKA** Page: 4/6



SARA 302/304/311/312 extremely hazardous substances: No products were found.

SARA 302/304 emergency planning and notification: No products were found.

SARA 302/304/311/312 hazardous chemicals: Cobalt sulphate

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Cobalt

sulphate: Immediate (acute) health hazard

Clean Water Act (CWA) 307: Nickel; Lead; Cadmium; Arsenic

Clean Water Act (CWA) 311: No products were found.

Clean Air Act (CAA) 112 accidental release prevention: No products were found. Clean Air Act (CAA) 112 regulated flammable substances: No products were found.

Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

SARA 313

CAS number Product name Concentration : Cobalt sulphate 10124-43-3 60 - 100 Form R - Reporting requirements

60 - 100 **Supplier notification** : Cobalt sulphate 10124-43-3

SARA 313 notifications must not be detached from the MSDS and any copying and redistribution of the MSDS shall include copying and redistribution of the notice attached to copies of the MSDS subsequently redistributed.

State regulations

: Pennsylvania RTK: Cobalt sulphate: (environmental hazard, generic environmental hazard): Nickel: (special hazard, environmental hazard, generic environmental hazard): Lead: (environmental hazard, generic environmental hazard); Cadmium: (special hazard, environmental hazard, generic environmental hazard); Arsenic: (environmental hazard, generic environmental hazard)

Massachusetts RTK: Nickel; Lead; Cadmium; Arsenic

New Jersey: Cobalt sulphate; Nickel; Lead; Cadmium; Arsenic

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

Ingredient name	Cancer	Reproductive	No significant risk level	Maximum acceptable dosage level
Cobalt sulphate	Yes.	No.	No.	No.
Nickel	Yes.	No.	No.	No.
Lead	Yes.	Yes.	15 μg/day (ingestion)	Yes.
Cadmium	Yes.	Yes.	0.05 μg/day (inhalation)	Yes.
Arsenic	Yes.	No.	0.06 μg/day (inhalation)	No.

Canada

WHMIS (Canada) : Class D-1B: Material causing immediate and serious toxic effects (Toxic).

Class D-2A: Material causing other toxic effects (Very toxic).

Class D-2B: Material causing other toxic effects (Toxic).

DSL: All components listed.

This product has been classified in accordance with the hazard criteria of the Canadian CPR and the United States OSHA. This MSDS contains all the information required by the CPR and OSHA, the American National Standard

International lists

Date of issue

Institute (ANSI) Z400.1.

: This product, (and its ingredients) is (are) listed on national inventories, or is (are) exempted from being listed, in Australia (AICS), in Europe (EINECS/ELINCS), in Korea (TCCL), in Japan (METI), in the Philippines (RA6969).

: 10/15/2006 Page: 5/6 Authored by **KEMIKA**



16. Other information

Label requirements (U.S.A.) : CANCER HAZARD.

CONTAINS MATERIAL WHICH CAN CAUSE CANCER.

HARMFUL IF INHALED.

CAUSES RESPIRATORY TRACT, EYE AND SKIN IRRITATION. MAY CAUSE ALLERGIC RESPIRATORY AND SKIN REACTION.

MAY BE HARMFUL IF SWALLOWED.

Hazardous Material

Information System (U.S.A.)



HAZARD RATINGS

4- Extreme 3- Serious

2- Moderate

1- Slight 0- Minimal

See section 8 for more detailed information on personal protection.

National Fire Protection Association (U.S.A.)



References

: ANSI Z400.1, MSDS Standard, 2004. - Manufacturer's Material Safety Data Sheet. -29CFR Part1910.1200 OSHA MSDS Requirements. - 49CFR Table List of Hazardous Materials, UN#, Proper Shipping Names, PG. - Canada Gazette Part II, Vol. 122, No. 2. Registration SOR/88-64, 31 December 1987. Hazardous Products Act "Ingredient Disclosure List" - Canadian Transport of Dangerous Goods, Regulations and Schedules, Clear Language version 2005.

Date of issue

: 10/15/2006

Version

: 1

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.