Material Safety Data Sheet



Manganese Sulphate Mini Granule & Powder

Product and company identification

Common name

: Manganese Sulphate Mini Granule & Powder

Vlaterial uses

: Included in animal feeds and as a fertilizer micronutrient.

Supplier/Manufacturer

: Pestell Minerals & Ingredients

141 Hamilton Road New Hamburg, Ontario Canada, N3A 2H1 Tel: (519) 662-2877 Fax: (519) 662-6242

E-mail: pestellgroup@pestell.com

n case of emergency

: CANUTEC (613) 996-6666

VISDS authored by:

: Kemika XXI Inc. + 1-450-435-7475

10/15/2009

Hazards identification

Physical state

: Solid. (Powder.)

Odor Color : Odorless. : Pink. (Light.)

Hazard status

This material is classified hazardous under OSHA regulations in the United States and the

WHMIS Controlled Product Regulation in Canada.

Emergency overview

: WARNING!

CAUSES RESPIRATORY TRACT, EYE AND SKIN IRRITATION.

CONTAINS MATERIAL WHICH CAUSES DAMAGE TO THE FOLLOWING ORGANS:

BLOOD, KIDNEYS, RESPIRATORY TRACT, CENTRAL NERVOUS SYSTEM.

Avoid contact with skin and clothing. Avoid breathing dust. Keep container closed. Use

only with adequate ventilation. Wash thoroughly after handling.

Routes of entry

: Dermal contact. Eye contact. Inhalation. Ingestion.

otential acute health effects

Skin

Eves

: Irritating to eyes. : Irritating to skin.

Inhalation

: Irritating to respiratory system.

Ingestion

: No known significant effects or critical hazards.

otential chronic health

effects

lame

: Carcinogenic effects: Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.

Mutagenic effects: Not available. Teratogenic effects: Not available.

Medical conditions iggravated by overexposure

: Repeated skin exposure can produce local skin destruction or dermatitis. Repeated exposure of the eyes to a low level of dust can produce eye irritation. Repeated or prolonged exposure to the substance can produce target organ damage.

See toxicological information (section 11)

Composition/information on ingredients

United States

langanese sulfate, monohydrate

CAS number

%

10034-96-5

60 - 100

Date of issue

: 10/15/2006

Authored by KEMIKA

Page: 1/6



Canada

Name CAS number %

10034-96-5 Manganese sulfate, monohydrate 60 - 100

First aid measures

Eye contact : Check for and remove any contact lenses. In case of contact with eyes, rinse

immediately with plenty of water. Get medical attention if symptoms occur.

Skin contact : Wash with soap and water. Get medical attention if symptoms occur.

Inhalation : If inhaled, remove to fresh air. If not breathing, give artificial respiration. Get medical

attention if symptoms appear.

Ingestion : Do not induce vomiting. Never give anything by mouth to an unconscious person. Get

medical attention if symptoms appear.

Notes to physician : No specific antidote. Medical staff must contact Poison Control Center.

Fire-fighting measures

Flammability of the product : Non-flammable.

Extinguishing media

Suitable

: Use an extinguishing agent suitable for the surrounding fire.

Not suitable : None known.

Special exposure hazards : No specific hazard.

Special protective : Fire-fighters should wear appropriate protective equipment and self-contained breathing equipment for fire-fighters

apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Accidental release measures

Personal precautions : Immediately contact emergency personnel. Keep unnecessary personnel away. Use

suitable protective equipment.

Environmental precautions : Avoid dispersal of spilled material, runoff and contact with soil, waterways, drains and

Methods for cleaning up : If emergency personnel are unavailable, vacuum or carefully scoop up spilled material

and place in an appropriate container for disposal by incineration. Avoid creating dusty

conditions and prevent wind dispersal.

Handling and storage

Handling : Avoid contact with eyes, skin and clothing. Keep container closed. Use only with adequate ventilation. Avoid breathing dust. Wash thoroughly after handling.

Storage : Keep container tightly closed. Keep container in a cool, well-ventilated area.

Exposure controls/personal protection

United States

Product name Vlanganese sulfate, monohydrate **Exposure limits**

ACGIH TLV (United States, 1/2005).

TWA: 0.2 mg/m³ 8 hour(s). Form: All forms.

NIOSH REL (United States, 12/2001).

STEL: 3 mg/m³ 15 minute(s). Form: All forms. TWA: 1 mg/m³ 10 hour(s). Form: All forms.

OSHA PEL (United States, 8/1997).

CEIL: 5 mg/m³ Form: All forms.

OSHA PEL 1989 (United States, 3/1989).

CEIL: 5 mg/m³ Form: All forms.

: 10/15/2006 Date of issue Authored by KEMIKA

Page: 2/6



Canada

Product name

Vanganese sulfate, monohydrate

Exposure limits

ACGIH TLV (United States, 1/2005).

TWA: 0.2 mg/m³ 8 hour(s). Form: All forms.

Engineering measures

: Use only with adequate ventilation. If user operations generate dust, fumes, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

personal protection

Eves

: Safety glasses.

Skin

: Lab coat.

Respiratory

: A respirator is not needed under normal and intended conditions of use.

Hands

: Natural rubber (latex)







HMIS Code/Personal protective equipment : B

of a large spill Hygiene measures

Personal protection in case: Safety glasses, goggles or face shield. Impervious gloves. Full suit. Boots. Wear NIOSHapproved self-contained breathing apparatus or equivalent and full protective gear.

: Wash hands, forearms and face thoroughly after handling compounds and before eating, smoking and using the lavatory and at the end of the day. Follow good industrial hygiene

practice.

Physical and chemical properties

Physical state

: Solid. (Powder.)

Color

: Pink. (Light.)

Odor

H

: Odorless.

3oiling/condensation point

: 5 to 7 (Conc. (% w/w): 10) [Acidic.]

Welting/freezing point

: 850°C (1562°F)

: 200°C (392°F)

Relative density

: 2.95 (Water = 1)

Solubility

: Soluble in cold water, hot water.

10. Stability and reactivity

Stability and reactivity

: The product is stable.

substances

ncompatibility with various: Reactive with oxidizing materials.

lazardous polymerization

: Will not occur.

Conditions of reactivity

: Not available.

Date of issue

: 10/15/2006

Authored by KEMIKA

Page: 3/6 n______



11. Toxicological information

Acute Effects

Eves

: Irritating to eyes.

Skin

: Irritating to skin.

Inhalation

: Irritating to respiratory system.

Ingestion

: No known significant effects or critical hazards.

Potential chronic health effects

: Carcinogenic effects: Not classified or listed by IARC, NTP, OSHA, EU and ACGIH. Mutagenic effects: Not available.

enects

Teratogenic effects: Not available.

Target organs

: Contains material which causes damage to the following organs: blood, kidneys, upper

respiratory tract, central nervous system (CNS).

12. Ecological information

Environmental precautions

: No known significant effects or critical hazards.

Products of degradation

: These products are sulfur oxides. Some metallic oxides.

13. Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material, runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional and local authority requirements.

14. Transport information

Regulatory information

UN/ IMDG/IATA DOT/TDG: Not regulated.

15. Regulatory information

United States

HCS Classification

: Irritating material

Target organ effects

U.S. Federal regulations

: TSCA 6 proposed risk management: Lead TSCA 8(b) inventory: All components listed. TSCA 12(b) annual export notification: Lead

SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found.

SARA 302/304/311/312 hazardous chemicals: No products were found.

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: No products

were found.

Clean Water Act (CWA) 307: Lead; Cadmium; Arsenic; Mercury

Clean Water Act (CWA) 311: No products were found.

Clean Air Act (CAA) 112 accidental release prevention: No products were found. Clean Air Act (CAA) 112 regulated flammable substances: No products were found.

Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

Date of issue

: 10/15/2006 Authored by **KEMIKA** Page: 4/6



Manganese Sulphate Mini Granule & Powde

: Pennsylvania RTK: Manganese sulfate, monohydrate; (environmental hazard, generic environmental hazard); Lead: (environmental hazard, generic environmental hazard); Cadmium: (special hazard, environmental hazard, generic environmental hazard); Arsenic: (environmental hazard, generic environmental hazard); Mercury: (environmental hazard, generic environmental hazard)

Massachusetts RTK: Lead; Cadmium; Arsenic; Mercury

New Jersey: Manganese sulfate, monohydrate; Lead; Cadmium; Arsenic; Mercury

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

Ingredient name	Cancer	Reproductive	No significant risk level	Maximum acceptable dosage level
Lead	Yes.	Yes.	15 µg/day (ingestion)	Yes.
Cadmium	Yes.	Yes.	0.05 μg/day (inhalation)	Yes.
Arsenic	Yes.	No.	0.06 μg/day (inhalation)	No.
Mercury	No.	Yes.	No.	No.

Canada

WHMIS (Canada)

: Class D-2B: Material causing other toxic effects (Toxic).



DSL: All components listed.

This product has been classified in accordance with the hazard criteria of the Canadian CPR and the United States OSHA. This MSDS contains all the information required by the CPR and OSHA, the American National Standard Institute (ANSI) Z400.1.

International lists


: This product, (and its ingredients) is (are) listed on national inventories, or is (are) exempted from being listed, in Australia (AICS), in Europe (EINECS/ELINCS), in Korea (TCCL), in Japan (METI), in the Philippines (RA6969).

16. Other information

Label requirements (U.S.A.) : CAUSES RESPIRATORY TRACT, EYE AND SKIN IRRITATION.

CONTAINS MATERIAL WHICH CAUSES DAMAGE TO THE FOLLOWING ORGANS: BLOOD, KIDNEYS, RESPIRATORY TRACT, CENTRAL NERVOUS SYSTEM.

Hazardous Material nformation System (U.S.A.)



HAZARD RATINGS

4- Extreme


3- Serious 2- Moderate

1-Slight

0- Minimal

See section 8 for more detailed information on personal protection.

Vational Fire Protection Association (U.S.A.)



Date of issue

: 10/15/2006

Authored by KEMIKA

Page: 5/6





Manganese Sulphate Mini Granule & Powde

Page: 6/6

References

: ANSI Z400.1, MSDS Standard, 2004. - Manufacturer's Material Safety Data Sheet. - 29CFR Part1910.1200 OSHA MSDS Requirements. - 49CFR Table List of Hazardous Materials, UN#, Proper Shipping Names, PG. - Canada Gazette Part II, Vol. 122, No. 2. Registration SOR/88-64, 31 December 1987. Hazardous Products Act "Ingredient Disclosure List" - Canadian Transport of Dangerous Goods, Regulations and Schedules, Clear Language version 2005.

Date of issue Version : 10/15/2006

. 1

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.